

Page 1 of 6 **SW-2541**

ron	ared to OSHA, ACC, AN	NOTICE W	LIMIC CLC & 1	272/2008/EC 9	Standards		ene	Revision	on: 1 0	,	ene	Povisi	on Data	: 10/15/2018
тер	ared to OSHA, ACC, Ar	NOI, NOHOC, W	HIVIIS, GHS & I	2/2/2000/EC 3	otanuarus		303	Revision	011. 1.0		303	Revision	on Date	. 10/13/2016
		1	PRODUC	T & COM	ΡΔΝΥ	IDFI	NTIF	ICΔ	TIOI	v v				
.1	Product Name:													
		CAVIAR	PERFEC	I IEXIU	KE SPI	KAY,	43.	5% \	/UC					
.2	Chemical Name:	Aerosol												
3	Synonyms:	SW-2541												
4	Trade Names:		ct Texture Spra	y, 43.5% VOC										
5	Product Use:	Aerosol Text												
6	Distributor's Name:	_	aging of CA, Inc.											
7	Distributor's Address:		eet, Chino CA 9											
.8	Emergency Phone:	CHEMTRI	EC: +1 (703)	527-3887 /	+1 (800) 424	-930() (CC	N 20	108)				
9	Business Phone / Fax:	+1 (909) 628	-4707 / +1 (909) 591-8916										
			2 H	AZARDS	DENT	IFIC	ΔΤΙ)N						
1	Hazard Identification:	criteria of NC	is classified as OHSC: 1088 (20 FLAMMABLE	a HAZARDOU 04) and ADG 0	S SUBST. Code (Aus	ANCE tralia).	and a	s DAN					Ū	
2	Label Elements:		<u>n: Aerosol 2; Sk</u> ements (H): H2											
		Precautiona and other ig source. F fume/gas/mi thoroughly a workplace. warm water P305+P351- contact lens get medical reuse. P37/ to extinguish from sunligh	ses eye irritation ry Statements (Inition sources. 251 - Do no st/vapours/spra after handling. P280 - Wear pr and soap. P33 +P338 - IF IN es, if present ar advice/attention D+P378 - In cas n. P403+P235 nt. Do not expintainer to a licen	P): P210 – Ke No smoking. ot pierce or y. P264 – Was P272 – Contar otective gloves 3+P313 – If sk EYES: Rinse and easy to do. n. P362+P364 se of fire: Use Store in a w ose to tempera	P211 – burn, evsh hands in inated with initiation cautious — Take Water, Foell-ventilate tures except and part of the cautious — Take water, Foell-ventilate except — the caution in the c	Do not en aft and ex ork clo P302 or cras y with rinsing off con am, CC ted placeeding	sprayer us posed thing +P352 h occi water . P33 tamina D ₂ , Dryce. K	on opese. Filskin a should 2 - IF Curs: Ge for se 7+P31; ated cley Chemiceep co C (122	pen flan P261 Ireas v not be DN SKI It medi everal 3 – If e othing nical, H ool. P ² °F).	me or Avo vith so allow N: Wa cal adv minute ye irrit and w dalon (i)	other other other of the other other of the	ignition eathing d warn t of the n plent tention Remove persist before orized) Protec	n g g n e y y. i. e s e o),	
.3	Other Warnings:	KEEP OUT	OF REACH OF	CHILDREN.					•					
		3. C	OMPOSIT	ION & INC	GREDI	ENT	INF	ORN	ΙΑΤΙ	ON				
											MITS IN	AIR (mg		
							GIH		NOHSC			OSHA		
						pp	m		ppm		1	ppm		
EMI	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
	` '	75-37-6	KI4100000	200-866-1	30-60	1000	NA	1000	NF	NF	NA	NA	NA	
DIFLUOROETHANE (R-152a)		Flam Gas 1	· H220	•										

				EXPOSURE LIMITS IN AIR (mg/m³)								
			AC	GIH		NOHSC	:		OSHA			
				p	om		ppm			ppm		
CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
75-37-6	KI4100000	200-866-1	30-60	1000	NA	1000	NF	NF	NA	NA	NA	
Flam. Gas 1;	H220											
64-17-5	KQ6300000	200-578-6	20-50	1000	3000	1000	1800	NF	1000	1900	3300	
Flam.Liq.2; H2	225											
115-10-6	NA	204-065-8	10-20	NA	NA	400	760	NF	NA	NA	NA	
Flam. Gas 1;	Press. Gas; H220	0										
7732-18-5	ZC0110000	231-791-2	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
546-93-0	OM2470000	208-915-9	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
			•						•			
25133-97-5	NA	NA	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 4; H315, H319, H413												
557-04-0	WI43900000	209-150-3	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	•	•	t				U					•
2116-84-9	NA	218-320-6	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	•	•	L.				U					-
124-68-5	UA5950000	204-709-8	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
12.000 0.0000000 20.0000 0.000												
NA	NA	NA	0.0-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
			1									. !
56-81-5	MA8050000	200-289-5	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	1	1										1
81-13-0	NA	201-327-3	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
			•			•	1	1				
NA	NA	NA	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
	1	1.4.	10.0 0.1		, .							
	75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H: 115-10-6 Flam. Gas 1; 7732-18-5 546-93-0 25133-97-5 Skin Irrit. 2; E 557-04-0 2116-84-9 124-68-5 Eye Irrit. 2; Sk NA 56-81-5	75-37-6 KI4100000 Flam. Gas 1; H220 64-17-5 KQ6300000 Flam.Liq.2; H225 115-10-6 NA Flam. Gas 1; Press. Gas; H220 7732-18-5 ZC0110000 546-93-0 OM2470000 25133-97-5 NA Skin Irrit. 2; Eye Irrit. 2; Aquation 557-04-0 WI43900000 2116-84-9 NA 124-68-5 UA5950000 Eye Irrit. 2; Skin Irrit. 2; Aquation NA NA 56-81-5 MA8050000 81-13-0 NA	75-37-6 KI4100000 200-866-1 Flam. Gas 1; H220 64-17-5 KQ6300000 200-578-6 Flam.Liq.2; H225 115-10-6 NA 204-065-8 Flam. Gas 1; Press. Gas; H220 7732-18-5 ZC0110000 231-791-2 546-93-0 OM2470000 208-915-9 25133-97-5 NA NA Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 4; H31 557-04-0 WI43900000 209-150-3 2116-84-9 NA 218-320-6 124-68-5 UA5950000 204-709-8 Eye Irrit. 2; Skin Irrit. 2; Aquatic Chronic 3; H31 NA NA NA 56-81-5 MA8050000 200-289-5 81-13-0 NA 201-327-3	75-37-6 KI4100000 200-866-1 30-60 Flam. Gas 1; H220 64-17-5 KQ6300000 200-578-6 20-50 Flam.Liq.2; H225 115-10-6 NA 204-065-8 10-20 Flam. Gas 1; Press. Gas; H220 7732-18-5 ZC0110000 231-791-2 1.0-5.0 546-93-0 OM2470000 208-915-9 1.0-5.0 25133-97-5 NA NA 1.0-5.0 Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 4; H315, H319, H4 557-04-0 WI43900000 209-150-3 0.1-1.0 2116-84-9 NA 218-320-6 0.1-1.0 124-68-5 UA5950000 204-709-8 0.1-1.0 Eye Irrit. 2; Skin Irrit. 2; Aquatic Chronic 3; H319, H315, H4 NA NA NA NA NA 0.0-1.0 56-81-5 MA8050000 200-289-5 0.0-0.1 81-13-0 NA 201-327-3 0.0-0.1	CAS No. RTECS No. EINECS No. % TLV 75-37-6 KI4100000 200-866-1 30-60 1000 Flam. Gas 1; H220 64-17-5 KQ6300000 200-578-6 20-50 1000 Flam.Liq.2; H225 115-10-6 NA 204-065-8 10-20 NA Flam. Gas 1; Press. Gas; H220 7732-18-5 ZC0110000 231-791-2 1.0-5.0 NA 546-93-0 OM2470000 208-915-9 1.0-5.0 NA Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 4; H315, H319, H413 557-04-0 WI43900000 209-150-3 0.1-1.0 NA 2116-84-9 NA 218-320-6 0.1-1.0 NA Eye Irrit. 2; Skin Irrit. 2; Aquatic Chronic 3; H319, H315, H412 NA NA NA NA 0.0-1.0 NA 56-81-5 MA8050000 200-289-5 0.0-0.1 NA	75-37-6 KI4100000 200-866-1 30-60 1000 NA Flam. Gas 1; H220 64-17-5 KQ6300000 200-578-6 20-50 1000 3000 Flam.Liq.2; H225 115-10-6 NA 204-065-8 10-20 NA NA Flam. Gas 1; Press. Gas; H220 7732-18-5 ZC0110000 231-791-2 1.0-5.0 NA NA 546-93-0 OM2470000 208-915-9 1.0-5.0 NA NA 25133-97-5 NA NA 1.0-5.0 NA NA Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 4; H315, H319, H413 557-04-0 WI43900000 209-150-3 0.1-1.0 NA NA 2116-84-9 NA 218-320-6 0.1-1.0 NA NA 124-68-5 UA5950000 204-709-8 0.1-1.0 NA NA Eye Irrit. 2; Skin Irrit. 2; Aquatic Chronic 3; H319, H315, H412 NA NA NA NA 56-81-5 MA8050000 200-289-5 0.0-0.1 NA NA 81-13-0 NA <td>CAS No. RTECS No. EINECS No. % TLV STEL TWA 75-37-6 KI4100000 200-866-1 30-60 1000 NA 1000 Flam. Gas 1; H220 64-17-5 KQ6300000 200-578-6 20-50 1000 3000 1000 Flam.Liq.2; H225 115-10-6 NA 204-065-8 10-20 NA NA 400 Flam. Gas 1; Press. Gas; H220 7732-18-5 ZC0110000 231-791-2 1.0-5.0 NA NA NF 546-93-0 OM2470000 208-915-9 1.0-5.0 NA NA NF 25133-97-5 NA NA 1.0-5.0 NA NA NF Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 4; H315, H319, H413 557-04-0 WI43900000 209-150-3 0.1-1.0 NA NA NF 2116-84-9 NA 218-320-6 0.1-1.0 NA NA NF 124-68-5 UA5950000 204-709-8 0.1-1.0 NA NA NF 56-81-</td> <td> ACGIH NOHSC Ppm Ppm </td> <td> ACGIH NOHSC ppm ppm </td> <td>ACGIH NOHSC ppm p</td> <td> ACGIH NOHSC OSHA ppm ppm </td> <td> ACGIH NOHSC OSHA ppm ppm</td>	CAS No. RTECS No. EINECS No. % TLV STEL TWA 75-37-6 KI4100000 200-866-1 30-60 1000 NA 1000 Flam. Gas 1; H220 64-17-5 KQ6300000 200-578-6 20-50 1000 3000 1000 Flam.Liq.2; H225 115-10-6 NA 204-065-8 10-20 NA NA 400 Flam. Gas 1; Press. Gas; H220 7732-18-5 ZC0110000 231-791-2 1.0-5.0 NA NA NF 546-93-0 OM2470000 208-915-9 1.0-5.0 NA NA NF 25133-97-5 NA NA 1.0-5.0 NA NA NF Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 4; H315, H319, H413 557-04-0 WI43900000 209-150-3 0.1-1.0 NA NA NF 2116-84-9 NA 218-320-6 0.1-1.0 NA NA NF 124-68-5 UA5950000 204-709-8 0.1-1.0 NA NA NF 56-81-	ACGIH NOHSC Ppm Ppm	ACGIH NOHSC ppm ppm	ACGIH NOHSC ppm p	ACGIH NOHSC OSHA ppm ppm	ACGIH NOHSC OSHA ppm ppm



Page 2 of 6

SW-2541

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 10/15/2018 SDS Revision: 1.0 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH** NOHSC ppm ppm ppm ES-STEL RTECS No. CHEMICAL NAME(S) CAS No. EINECS No. TLV STEL PEAK PEL STEL IDLH OTHER TWA 50-81-7 CI7650000 200-066-2 0.0-0.1 NA NA NA NF NF NF NA NA ASCORBIC ACID 207574-74-1 NA NA 0.0-0.1 NA NA NF NF NF NA NA NA POLYSILICONE-15 9054-89-1 NA 232-943-0 0.0-0.1 NA NA NF NF NF NA NA NA SUPEROXIDE DISMUTASE 4. FIRST AID MEASURES 4.1 First Aid: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician. If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Remove victim to fresh air at once. Inhalation: 4.2 Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and Eyes: watering. May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. None expected. 4.3 Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Acute Health Effects: 44 Moderate irritation to eyes. Chronic Health Effects: 4.5 No harmful or chronic health effects are expected to occur from a single accidental ingestion. 4.6 Target Organs: 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 3 **PHYSICAL HAZARDS** 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: FLAMMABLE AEROSOL. Level 2 Aerosol (NFPA 30B). Aerosols may burst at temperatures above 120 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. Containers may rupture and release flammable liquids or/or exposed gases if exposed to the heat of fire. Keep containers cool by spraying them with water until the fire has been extinguished. Keep away from heat, lit cigarettes, sparks & open flame. Keep container closed. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO₂) and nitrogen (e.g., NO_x) and smoke. Extinguishing Methods Water, Foam, CO₂, Dry Chemical, Halon (if authorized) Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products

and oxygen deficiencies.



Page 3 of 6

SW-2541

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 10/15/2018

6. ACCIDENTAL RELEASE MEASURES 6 1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. 7 2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m³) FS-CHEMICAL NAME(S) STEL ES-TWA PEL STEL IDLH TLV STEL PEAK ETHANOL (SD ALCOHOL 40B) 1000 3000 1000 1800 NF 1000 1900 3300 DIFLUOROETHANE (R-152a) 1000 NA 1000 NF NF NA NA NA DIMETHYL ETHER NA 400 760 NF NA NA NA NA ALLERGEN NF **EXTRACTS** NA NA NF NF NA NA NA Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Controls exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR 8.3 Respiratory Protection: §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8 4 Eve Protection: Avoid eye contact. Protective eyewear recommended. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling large quantities (of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Aerosol. Light milky white liquid 92 Odor Fragrant odor 9.3 Odor Threshold: NA 9.4 :Ha NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 NA Range: 9.7 Flashpoint: NA 9.8 Upper/Lower Flammability LEL: 5.1% / UEL: 17.1% (R-152A) Vapor Pressure: 9.9 65 ± 5 psig @ 70°F 9.10 Vapor Density NA 9.11 Relative Density: 0.840 ± 0.012 (Percent solids 11.0 ± 0.5) 9.12 Solubility: Soluble 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9 15 Decomposition Temperature: NA 9 16 Viscosity: NA Other Information: 9.17 VOC: .43.5%; 7.00 ± 0.10 lb/gal



Page 4 of 6 SW-2541

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 10/15/2018 SDS Revision: 1.0 10. STABILITY & REACTIVITY Stability 10 1 This product is stable. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂) and sulfur (SO₂). 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Open flames, sparks and high heat. Incompatible Substances: 10.5 None known. TOXICOLOGICAL INFORMATION 11.1 Routes of Entry: Inhalation: Absorption: Ingestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is presented: Limonene LD50 (oral, rat): 4400 Acute Toxicity: 11.3 See Section 4.4 Chronic Toxicity: 11.4 See Section 4.5 Suspected Carcinogen: 11.5 The following ingredient is listed on IARC 3 - Group 3 (Not classifiable as to its carcinogenicity to humans): Limonene 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans Embryotoxicity This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3 11.8 Biological Exposure Indices: ΝE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data available for this product. Effects on Plants & Animals: 12.2 There are no specific data available for this product. 12.3 Effects on Aquatic Life There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Waste disposal must be in accordance with appropriate Federal, state, and local regulations. 13.2 Special Considerations: U.S. EPA Waste Number: D001 (characteristic - ignitable). 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): 14.1 CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1000 mL) - until 12/31/2020 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1000 mL) (II) 14.2 IATA (AIR): ID8000, CONSUMER COMMODITY, 9 (IP VOL ≤ 500 mL) UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 500 mL) IMDG (OCN): 14.3 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1000 mL) TDGR (Canadian GND): 14.4 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1000 mL) or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITÉ LIMITÉE" ADR/RID (EU): 14.5 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1000 mL) SCT (MEXICO): 14.6 UN1950, AEROSOLS, 2.1 (CANTIDAD LIMITADA, IP VOL ≤ 1000 mL) ADGR (AUS): 14.7 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1000 mL) 15. REGULATORY INFORMATION 15 1 SARA Reporting Requirements: This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements 15.2 SARA TPQ: There are no specific Threshold Planning Quantities for the components of this product. 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15 4 CERCLA Reportable Quantity: NA 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the



Page 5 of 6 **SW-2541**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 10/15/2018

		15. REGULATORY INFO	RMATION – cont'd				
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS B5, D2B (Aerosol, Other Toxic Effects)					
15.7	State Regulatory Information:	Ethanol is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA), California Proposition 65 ((CA65) ethanol in alcoholic beverages) and Washington Permissible Exposures List (WA). Difluoroethane can be found on the following state criteria lists: MA and NJ. Magnesium Carbonate is found on the following state criteria list: MA, MN and WA. Aminomethyl Propanol is found on the following state criteria lists. FL, MA and PA. Glycerin is listed on the following state criteria list: MA, MN, PA and WA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).					
15.8	Other Requirements:	This product does not contain any chemicals k other reproductive harm. For more information g	nown to the State of California to cause cancer or o to www.P65Warnings.ca.gov .				
	1	16. OTHER INFO	ORMATION CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE				
		spray on open flame or other ignition sol fume/gas/mist/vapors/spray. Wash hands and of skin irritation or rash occurs: Get medical advice EYES: Rinse cautiously with water for several natural rinsing. If eye irritation persists get medical add Halon (if authorized) to extinguish. Store in a	is, sparks, open flames and other ignition sources. No smoking. Do not urce. Do not pierce or burn, even after use. Avoid breathing exposed skin areas with soap and warm thoroughly after handling. If exittention. IF ON SKIN: Wash with plenty warm water and soap. IF IN ninutes. Remove contact lenses, if present and easy to do. Continue lvice/attention. In case of fire: Use Water, Foam, CO ₂ , Dry Chemical, well-ventilated place. Keep cool. Use only as directed. Protect from ling 50 °C (122 °F). Discontinue use immediately if irritation develops.				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	government regulations must be reviewed for applied of CA's knowledge, the information contained suitability or completeness is not guaranteed and PROVIDED INCLUDING THE WARRANTIES OF The information contained herein relates only materials, all component properties must be constatest edition.	OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other plicability to this product. To the best of ShipMate's & Shield Packaging herein is reliable and accurate as of this date; however, accuracy, d NO WARRANTIES OF ANY TYPE, EXPRESSED OR IMPLIED, ARE MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE. to the specific product(s). If this product(s) is combined with other sidered. Data may be changed from time to time. Be sure to consult the				
16.4	Prepared for:	Shield Packaging of CA, Inc. 5165 "G" Street Chino CA 91710 USA Tel: +1 (909) 628-4707 Fax: +1 (909) 591-8916 http://www.shieldpackaging.com					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting				



Page 6 of 6

SW-2541

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 10/15/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists		
IDLH	IDLH Immediately Dangerous to Life and Health		
NOHSC	NOHSC National Occupational Health and Safety Commission (Australia)		
OSHA	U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
STEL	Short Term Exposure Limit		
TLV	Threshold Limit Value		
TWA	Time Weighted Average		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Ε			
F		The state of the s	





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ \ \ \ \ \
W	Use No Water	HEALTH
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	((2)		Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

	③		\Diamond			\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment