

Page 1 of 6 SW-2527

>rep	ared to OSHA, ACC, A	NSI, NOHSC, W	HMIS, GHS &	1272/2008/EC S	Standards		SDS	Revision	on: 1.0	5	SDS Rev	ision Dat	e: 8/16/2018
		1	PRODUC	T & COM	DANV	IDEI	NITIE	IC V	TION				
.1	Product Name:									6 0/	VOC		
			ANTI-AG	ING WOR	KING	ПАІГ	()F	KAI	, 54.6	0 %	VUC		
.2	Chemical Name:	Aerosol											
3	Synonyms:		SW-2527										
4	Trade Names:		Aging Working I	Hair Spray, 54.8	6% VOC								
5	Product Use:	Aerosol Hair											
6	Distributor's Name:		aging of CA, Inc										
7	Distributor's Address:	5165 "G" Str	eet, Chino CA 9	91710 USA									
8	Emergency Phone:	CHEMTRI	EC: +1 (703)	527-3887 /	+1 (800) 424	-9300) (CC	N 2010	8)			
9	Business Phone / Fax:	+1 (909) 628	3-4707 / +1 (909	9) 591-8916	_								
			2. H	AZARDS	DENT	IFIC	ATIC	ON					
1	Hazard Identification:	criteria of NC WARNING! ALLERGIC	is classified as DHSC: 1088 (20 FLAMMABLE SKIN REACTIO <u>1</u> : Aerosol 2; Sl	004) and ADG 0 AEROSOL. F DN. CAUSES E	ode (Aus PRESSUR YE IRRIT	tralia). I IZED (CONT					•	
2	Label Elements:		<u>i. Aerosoi 2, Si</u> <u>ements</u> (H): H2			1 11000	<u> </u>					. 4 : 6	
		Precautiona and other ig source. F fume/gas/mi thoroughly a workplace. warm water P305+P351- contact lens get medical reuse. P37/ to extinguish from sunligh contents/cor	17 – May cause ry Statements prition sources. P251 – Do nost/vapors/sprayafter handling. P280 – Wear pand soap. P33+P338 – IF IN es, if present a advice/attentio 0+P378 – In can. P403+P235 et. Do not expatainer to a licer	(P): P210 – Ke No smoking. ot pierce or P264 – Wasl P272 – Contar rotective gloves P3+P313 – If sk EYES: Rinse nd easy to do. P362+P364 se of fire: Use Store in a w sose to tempera	ep away P211 – burn, even hands a minated w /eyewear in irritation cautious Continue - Take Water, Fo ell-ventila atures exc	from he Do not len aft and export clo P302 or rasely with rinsing off con am, CC ted placeeding	eat, he spray eer us cosed thing: +P352 h occu water . P33 tamina D ₂ , Dryce. K	ot surfar on ope se. F skin an should 2 – IF O urs: Ge for se 7+P313 ated clo of Chem eep co C (122	aces, spa en flame 2261 – reas with not be a N SKIN: t medical everal mi 3 – If eye othing an iical, Halo ol. P410 °F). P5	rks, or	ther ignited breath of and wad out of a with ple celattentics. Remotion persish it befauthorized 12 – Profession becauthorized 12 – Profession becaute in the profession becaute in the profession because it is a profession	tion ing arm the enty on. ove ists ore ed), eect	
.3	Other Warnings:	Keep out of	reach of child	lren.									
		3. C	OMPOSIT	ION & INC	GREDI	ENT	INF	ORN					
										E LIMI	ITS IN AIR		1
							GIH		NOHSC	-	OS		4
			DTT00 W				om	ES-	ES- E		pp		-
1EMI	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%				STEL PE		PEL STE		OTHER

					EXPOSURE LIMITS IN AIR (mg/m³)								
					AC	GIH		NOHSC			OSHA		
					ppm		ppm			ppm			
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
ETHANOL (OR ALCOHOL 40R)	64-17-5	KQ6300000	200-578-6	30-60	1000	3000	1000	1800	NF	1000	1900	3300	
ETHANOL (SD ALCOHOL 40B)	Flam.Lig.2; H225												
DIELLIOPOETLIANE (P. 152c)	75-37-6	KI4100000	200-866-1	30-60	1000	NA	1000	NF	NF	NA	NA	NA	
DIFLUOROETHANE (R-152a)	Flam. Gas 1; H	1220											
OCTYLACRYLAMIDE/ACRYLATES/	NA	NA	NA	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYLAMINOETHYL METH- ACRYLATE COPOLYMER													
MATER (A CHA/EALI)	7732-18-5	ZC0110000	231-791-2	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
WATER (AQUA/EAU)		•		1					U				•
EVED A OTO	NA	NA	NA	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
EXTRACTS			•										
AMINOMETHYL PROPANOL	124-68-5	UA5950000	204-709-8	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
AMINOMETH TE PROPANOL	Eye Irrit. 2; Skin Irrit. 2; Aquatic Chronic 3; H319, H315, H412												
FRAGRANCE (PARFUM)	NA	NA	NA	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE (PARFOIN)													
PHENYL TRIMETHICONE	2116-84-9	NA	218-320-6	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PHENTL TRIMETHICONE													
CYCLOPENTASILOXANE	541-02-6	GY59425200	208-764-9	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	Flam. Liq. 4; Sl	kin Irrit. 3; Eye Irri	it. 2B; H227, H3	16, H320									
PENTAERYTHRITYL	68441-68-9	NA	270-472-2	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
TETRACAPRYLATE/TETRA- CAPRATE													
PANTHENOL	81-13-0	NA	201-327-3	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ANTIENOL													
PEG/PPG-17/18 DIMETHICONE	9006-65-9	TQ2690000	NA	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
FLG/FFG-17/16 DIMETHICONE	Eye Irrit. 2; H3	19											



Page 2 of 6

SW-2527

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 8/16/2018

		3. COMP	OSITION 8	R INGPE	DIENT	INE	OPI	ΛΛΤΙ	ΩN	- 00	nt'd	l			
		J. CONIF	USITION O	XINGKL	DILINI	1141	UKI	///				I N AIR (m	/ 3\		
						AC	GIH	l	NOHSC		IMITS IN	OSHA			
							om		ppm	'		ppm	•		
								ES-	ES-	ES-		PP···			
CHEMIC	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	0	THER
TRIFT	HYL CITRATE	77-93-0	NA	201-070-7	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA		
					1			1					П	1	
ASCO	RBIC ACID	50-81-7	CI7650000	200-066-2	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA		
		9054-89-1	NA	232-943-0	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA		
SUPER	ROXIDE DISMUTASE	9034-09-1	INA	232-943-0	0.0-0.1	INA	INA	INI	INI	INI	INA	INA	INA		
		58-85-5	NA	200-399-3	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA		
BIOTIN	I		11	1=00 000 0	10.0										
DOI V	SILICONE-15	207574-74-1	NA	NA	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA		
FOLIC	DILICONE-13														
PFG-1	2 DIMETHICONE	9006-65-9	TQ2690000	NA	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA		
	E DIMETHIOONE	Eye Irrit. 2; H3	319												
			4.	FIRST AI	D MEA	SUI	RES								
4.1	First Aid:	Ingestion:	If ingested, do	not induce	vomiting.	If pr	oduct	has l	peen s	swallov	ved, c	drink p	lenty of	water	or milk
			IMMEDIATELY												
			unconscious pe												
			estimate of the	e time at wh	ich the m	aterial	was	ingeste	ed and	the a	amour	nt of th	ne subs	tance 1	hat was
			swallowed.						_						
			Splashes are n							h with	copiou	us amo	ounts of	lukewa	rm water
			for at least 15 r							مانا ملا			fallanna	م میدالم	
		Skin:	If irritation occu washing of the												
			physician imme		a with 50	ар апо	wate	1. 11 1	malio	i, redi	1622 0	n Swei	iing per	51515, C	oniaci a
			Remove victim	•	once										
4.2	Effects of Exposure:		If product is sw			ICA2 V	omitin	a and/	or dian	rhaa					
			Moderately irrit								clude	rednes	e itchir	a irrits	ition and
		<u>Lycs</u> .	watering.	ating to the c	yes. Cyli	iptomo	01 01	СГСХРС	Joure 1	ilay ili	ciuuc	rcurics	os, itoriii	ig, iiiic	ition and
		Skin:	May be irritating	a to skin Th	e product	can ca	ause a	llergic	skin re	eaction	ns (e a	rash	es welt	s dern	natitis) in
		<u> </u>	some sensitive	•	o product			o. g. o			(5.9	,,,		,	
		Inhalation:	None expected	l.											
4.3	Symptoms of Overexposure:	Overexposure	in eyes may c	ause redness	, itching a	nd wat	ering.	Symp	toms o	of skin	overe	xposur	e may i	nclude	redness,
			ritation of affect												
		some sensitiv	e individuals.												
4.4	Acute Health Effects:	Moderate irrita	ation to eyes.												
4.5	Chronic Health Effects:	No harmful or	chronic health	effects are ex	pected to	occur fi	rom a	single	accide	ntal in	gestio	n.			
4.6	Target Organs:	Eyes													
4.7	Medical Conditions	Pre-existing of	lermatitis, othe	r skin conditi	ons, and	disorde	ers of	the	HEAL	.TH					1
	Aggravated by Exposure:	target organs	(eyes, skin, and	l respiratory s	ystem).				FLAN	IMΔR	II ITY	,			3
								_							
								_				ARDS			0
									PRO1	ECTI	VE E	QUIPI	MENT		В
									EYES		SKIN				
			5. FII	REFIGHT	ING M	EAS	URI	ES							
5.1	Fire & Explosion Hazards:	FLAMMARIE	AEROSOL. L						may hi	ırst at	temn	erature	20		
			Cool uninvolv												
			bursting. If a												
		may rupture a	nd release flam	mable liquids	or/or expo	sed ga	ases if	expos	ed to t	he hea	at of fire	e. Kee	эp		
	containers cool by spraying them with water until the fire has been extinguished. Keep away from heat, lit cigarettes, sparks & open flame. Keep container closed. When exposed to high														
			may produce h		ompositio	n prodi	ucts su	uch as	oxides	of car	rbon (e	e.g., C0	٥,	3	
5.2	CO ₂) and nitrogen (e.g., NO _x) and smoke. 2 Extinguishing Methods: Water, Foam, CO ₂ , Dry Chemical, Halon (if authorized)							0							
										,					
5.3 Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to															
			ctive gear. Ke sed surfaces a											~	
			sed surraces a ition from enter												
			ust use full bur												
			aratus to prote												
		and oxygen de								'					
		•													



9 10

9.11

9.12

9.13

9.14

9.15

9.16

9.17

Vapor Density: Relative Density:

Partition Coefficient (log Pow):

Decomposition Temperature:

Autoignition Temperature

Solubility:

Viscosity:

Other Information:

 0.825 ± 0.012 (6.875 ± 0.10 lb/gal)

54% VOC; Percent solids: 11.5 ± 0.50

Insoluble

NA

NA

NA

NA

SAFETY DATA SHEET

Page 3 of 6

SW-2527

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 8/16/2018 SDS Revision: 1.0 6. ACCIDENTAL RELEASE MEASURES Spills: 6 1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. 7 2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m³) FS-ES-TWA STEL IDLH CHEMICAL NAME(S) TLV STEL STEL PEAK PEL ETHANOL (SD ALCOHOL 40B) 1000 3000 1000 1800 NF 1000 1900 3300 DIFLUOROETHANE (R-152a) 1000 NA 1000 NF NA NA NA NF NF NA ALLERGEN **EXTRACTS** NA NA NF NA 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Avoid eye contact. Protective eyewear recommended. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling large quantities (of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. Body Protection: 8.6 No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: 9.1 Aerosol, clear straw-coloredliquid 92 Odor: Mild odor 93 Odor Threshold NA 9.4 7.00 ± 0.25 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling NA Range: 9.7 Flashpoint 8.8 °C (48 °F) 9.8 Upper/Lower Flammability Limits: Vapor Pressure: 99 55 ± 5 psig (@ 70 °F)



Page 4 of 6 SW-2527

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 8/16/2018 SDS Revision: 1.0 10. STABILITY & REACTIVITY Stability 10 1 This product is stable. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂) and sulfur (SO₂). 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Open flames, sparks and high heat. 10.5 Incompatible Substances: None known. TOXICOLOGICAL INFORMATION 11.1 Routes of Entry: Inhalation: Absorption: YES Ingestion: 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product. Acute Toxicity: 11.3 See Section 4.4 Chronic Toxicity: 11.4 See Section 4.5 11.5 Suspected Carcinogen: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.2 Biological Exposure Indices: 11.8 ΝE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION There are no specific data available for this product. 12.1 Environmental Stability: Effects on Plants & Animals 12.2 There are no specific data available for this product 123 Effects on Aquatic Life There are no specific data available for this product 13. DISPOSAL CONSIDERATIONS Waste Disposal: 13 1 Waste disposal must be in accordance with appropriate Federal, state, and local regulations. Special Considerations: 13 2 U.S. EPA Waste Number: D001 (characteristic - ignitable). 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) - until 12/31/20 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) **₩** 14.2 IATA (AIR): CONSUMER COMMODITY, 9, ID8000 (IP VOL ≤ 0.5 L) UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 0.5 L) 14.3 IMDG (OCN): UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) TDGR (Canadian GND): 14.4 MARK PACKAGE ("LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (IP VOL ≤ 1.0 L) or UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL \leq 1.0 L) 14.5 ADR/RID (EU): UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) SCT (MEXICO): 14.6 UN1950, AEROSOLES, 2.1 (CANT. LTDA., IP VOL ≤ 1.0 L) 14.7 ADGR (AUS): UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) 15. REGULATORY INFORMATION 15 1 SARA Reporting Requirements: This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. 15.2 SARA TPQ: There are no specific Threshold Planning Quantities for the components of this product. 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity: NA 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as

priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the

CWA.



Prepared by:

SAFETY DATA SHEET

Page 5 of 6

SW-2527

5165 "G" Street Chino CA 91710 USA Tel: +1 (909) 628-4707 Fax: +1 (909) 591-8916 http://www.shieldpackaging.com

ShipMate, Inc. P.O. Box 787

Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

Sisters, Oregon 97759-0787 USA

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 8/16/2018 15. REGULATORY INFORMATION – cont'd 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS B5, D2B (Aerosol, Other Toxic Effects) 15.7 State Regulatory Information: Ethanol is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA), California Proposition 65 ((CA65) ethanol in alcoholic beverages) and Washington Permissible Exposures List (WA). Difluoroethane can be found on the following state criteria lists: MA and NJ. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov 16. OTHER INFORMATION FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. 16.1 Other Information: WARNING! SERIOUS EYE IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. Use only as directed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing fume/gas/mist/vapors/spray. Wash hands and exposed skin areas with soap and warm thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/eyewear. IF ON SKIN: Wash with plenty warm water and soap. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use Water, Foam, CO2, Dry Chemical, Halon (if authorized), to extinguish. Store in a well-ventilated place. Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F). KEEP OUT OF REACH OF CHILDREN. Terms & Definitions: 16.2 See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Shield Packaging of CA's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and NO WARRANTIES OF ANY TYPE, EXPRESSED OR IMPLIED, ARE PROVIDED INCLUDING THE WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition Prepared for: Shield Packaging of CA, Inc.

Training & Consulting



Page 6 of 6

SW-2527

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 8/16/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists				
IDLH	IDLH Immediately Dangerous to Life and Health				
NOHSC National Occupational Health and Safety Commission (Australia)					
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
STEL	Short Term Exposure Limit				
TLV	Threshold Limit Value				
TWA	Time Weighted Average				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Ε			
F			





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic			
Irrit	Irritant			
NA	Not Available			
NR	No Results			
ND	Not Determined			
NE	Not Established			
NF	Not Found			
SCBA	Self-Contained Breathing Apparatus			
Sens	Sensitization			
STOT RE	Specific Target Organ Toxicity – Repeat Exposure			
STOT SE	Specific Target Organ Toxicity – Single Exposure			

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1 Slight Hazard		
2 Moderate Hazard		REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ \ \ \ \ \
W	Use No Water	HEALTH
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution
. 5 CW 41 149 150C	

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®		(2)	Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment